



**Food Allergens
Laboratory**

1 22S . --- µ ± ¶ Ž œ 2 µ œ 2 µ 1/4

!) µ ± ¶ œ & µ . « © 2 µ
! " œ ff ± œ ® / µ " | "

° ° ° © 2 S µ ± ¶ œ 1 2 °

° œ ± © © 2 S µ ± ¶ œ 1 2 °

"

"
" " " "
" " " " .45289. 'I tggg0
< ' 0'

"
" "
< 439/42688/4235
< Hwv/ 'Qku
< " " "

0'		< 439/42688/4235
0'		< 8
1 "	"	< 53 27 4235
1 "	"	< 53 27 4235
1 "	"	<
1 "	"	< 28 28 4235
1 "	"	< 29 23 4237
"		
"	< Eqwt kgt	
"	< "Ceegr w drg+	
"	< "eqvckpgt +@322i	
"	< "Tgh ki gt cvqt+	

"	"				
		>32	ehvfi t	32	CQCE 'T/Dkqr j cto
		708'z'32' 3	ehvfi t	32	CQCE 'T/Dkqr j cto
	"	370	i t B22i t	208	I NE'G E'M "478: i; 3
	"	508	i t B22i t	208	I NE'G E'M "478: i; 3
	"	30	i t B22i t	208	I NE'G E'M "478: i; 3
tepu"		202	i t B22i t	208	I NE'G E'M "478: i; 3
"		204	i t B22i t	2.3	
		545504	o i B22i t	/	" " "
PWTKVKQP CN'HWN'GP \ [O KE					
"	"	3236	M B22i t	/	"* 0338; 4233+
"	"	467	Mecn B22i t	/	"* 0338; 4233+
		4208	i t B22o n	208	Uqzj ngv'kij qwug'O gj qf
	"* +	3306	i t B22o n	2.3	
"		506	i t B22o n	208	CQCE"; ; 3065
		30	i t B22o n	208	nigrf c j n'k'j qwug" " "
					"RQIF KU"; ; 8: /4
"* +		50	i t B22o n	/	" " "
		7; 02	i t B22o n	/	" " "
" / " " " " '59 AE		409'z'32' 4	ehvfi t	32	CQCE 'T/Dkqr j cto
" " " " '59 AE		>32	ehvfi t	32	CQCE 'T/Dkqr j cto
Guej gtlej k'eqik		>32	ehvfi t	32	CQCE 'T/Dkqr j cto
Ucm qpgmc'ur r 0*	+		ehv47'1 t	3	Txgcilhqt 'Ucm qpgmc' CQCE 'Cr tqxcn Nieg pug'P wo dgt"; 82: 23
"	"	"	"	"	"
0'	."	" O Ue	0'	."	" O Ue
"	"	"	0	"	0
"	"	"	"	"	"
"	"	"	"	"	"
"	1	-0'	"	"	"
"	-0	"	"	"	"

